


Views

Views allow you to take a specific part of the tree and display it in a separate section. Thus, if, for example, a company's process model, organizational structure, architecture design, etc. is deeply embedded in the repository structure, this functionality makes it accessible to readers without having to search for it in a complicated way. These are thus views of specific repository tree packages and their contents, including the nested packages.

- [Creating a View](#)
- [Editing and deleting a view](#)
- [Default diagram settings](#)
- [Access to views](#)
- [Reorder in views](#)

Creating a View

If the user has [rights to edit the tree](#), right-click on the "Package" from which you want to create a view and put "Create View".



The message "Successfully saved" appears and the program creates a view.

Repository Example

Search

Repository

Views

Publication

Successfully saved

Repository Browser

EA Infoport Demo

Example Model

Call Behavior

ArchiMate

Classifiers

UML Modeling

Domain Specific Modeling

Navigate, Search & Trace

Enterprise Architecture

Analysis and Business Modeling

Analysis and Business Modeling

Analysis

Business Analysis Tools

Business Domain Model

Business Modeling

BPEL Example

BPMN 2.0 Examples

Requirements Model

Project Management

Testing

BPMN 2.0 Examples

Notes

Name

Alias

T

BPMN 2.0 Examples

f

Author

Status

Keywords

ID

GUID

Complexity

336

{3EDB875D-0BF4-43b6-8800-B482D4E6B0A4}

Medium

Constraints

Requirements

Files

Tagged values

Connectors

Diagrams

Name

The created view is included among the views that are available in the main menu.

Repository Example

Search

Repository

Views

Publication

Repository Management

Petr Kalíš (pkalis)

Logout

Views

EDIT

Procesy týkající se GDPR

BPMN 2.0 Examples


Procesní model společnosti

Procesy společnosti abc


If the user clicks on the view, it is displayed in the form of a tree. Thus, he sees only the package that has been marked as a view and its complete contents. In this way, it is possible to "pull up", for example, a process model, organizational structure, etc. that is otherwise embedded in the repository structure.

BPMN 2.0 Examples

Examples of BPMN process diagrams.




Conversation Diagram




Editing and deleting a view

The views created by the user are then displayed in the view list, where they can be further described, named and assigned a color.

To edit a view, the user clicks on the "Edit" button.



The user will see the following table where they can see the color, name, package description, "Edit" and "Delete" buttons.



If the user clicks on the "Edit" button, the "Edit View" dialog will appear.

Repository Example

Search

Repository

Views

Publication

Repository Management

Portal Management

Barbora Dřevojánková (bdrevojankova)

Logout

Edit a View

DELETE

Name

BPMN 2.0 Examples

Notes

Examples of BPMN process diagrams.

Color

← BACK

SAVE

The user can edit:

- View name
- View description
- View color
 - To change the color, the user clicks on the color label, then a mini dialog pops up to set the color
 - The color selection dialog responds in two ways
 - Left click and hold
 - Left click

If everything is set, the user clicks the "Save" button.

To delete a view, the user clicks on the "Delete" button.

Repository Example

Search

Repository

Views

Publication









Repository Management

Portal Management

Barbora Dřevojánková (bdrevojankova)

Logout

Views

Color	Name	Notes	
NO FILTER	NO FILTER	NO FILTER	
	BPMN 2.0 Examples	Examples of BPMN process diagrams.	<div><div>EDIT</div><div>DELETE</div></div>
	Procesní model společnosti	naše procesy	<div><div>EDIT</div><div>DELETE</div></div>
	Procesy společnosti abc	Procesní model	<div><div>EDIT</div><div>DELETE</div></div>
	Procesní model společnosti ABC	Obsahuje platné procesy společnosti asdvcnwsdvcnwqdiocn opisdrnvpiw	<div><div>EDIT</div><div>DELETE</div></div>
	Procesní model firmy	Nějaký popis	<div><div>EDIT</div><div>DELETE</div></div>
	Datový model společnosti	Popisuje aktuální stav datového modelu naší firmy	<div><div>EDIT</div><div>DELETE</div></div>
	Popis architektury	erhgb gerdtsrtg rzgnrzt	<div><div>EDIT</div><div>DELETE</div></div>
	Přehled architektury společnosti	Popisuej architkewdpbsdafjnmhoe tpúoetfdgjk	<div><div>EDIT</div><div>DELETE</div></div>

Showing 1 to 8 of 8 entries

Show

10

entries

Setup of columns

← BACK

If the user clicks on the "Delete" button, the "Delete View" dialog will appear.

Repository Example

Search

Repository

Views

Publication

Repository Management

Portal Management

Barbora Dřevojánková (bdrevojankova)

Logout

Delete a View

Name

BPMN 2.0 Examples

Notes

Examples of BPMN process diagrams.

Color

⚠ Are you sure you want to delete this? ⚠

← BACK

DELETE

The dialog shows the name, description and color of the view the user wants to delete.


A warning message verifies whether the user really wants to delete the view. If not, the user will click the "*Back*" button and if the user really wants to delete the view, the user will click the "*Delete*" button.

You can also delete a view in the view editing dialog, see above, when the user clicks the "*Delete*" button and the "*Delete View*" dialog appears.


Default diagram settings



By clicking on the icon the administrator can set a default diagram for the view.



Once the icon is clicked (*filled in*) the default diagram is set for all users who open the view.



Access to views



New functionality allows you to set limited access to the repository through views.

The repository manager can set up new "access to views" and remove "access to repository tree" to users.

Permissions can be assigned to the user or group.

Other specifications of the authorization can be set in permission on a specific package.

For example, if you have a user or a group access group and one of the views is a package in which a group or user has a ban on access, the view will not be displayed.



Reorder in views

You can change the sort order in the views. Just hold down the left mouse button and drag the View to the desired position.

