

# Archive repository

Archive repository (without background jobs for regeneration and chache)

In the repository editor, it is possible to set the "Archive repository (without background jobs for regeneration and chache)" mark. The functionality will ensure that the system does not unnecessarily run background jobs and chache regeneration.

You can edit a repository > Portal Management > Repositories Management > Edit a specific repository.

Portal

Portal ManagementKarolína Kavanová (kkavanova)Logout

Edit repository Enterprise Architect

USERS

DELETE

Repository Settings

Repository name

EATest

Repository notes

Repository color

Number of diagrams to be archived

5

☐ The search result will not contain artifacts that the user does not have permission to (slows down the search time)

☐ Archive Repository (without regenerate background jobs and cache)

[Manual about Repository Settings](#)

EA Shortcut

Path to EAP file

C:\Data\projekt\Eaps\eatest EAP

Username to EAP file

Password to EAP file

[Manual about EA Shortcut](#)

EA Database

Database type

MySQL

Connection to database EA (not ODBC!)

Server=127.0.0.1;port=3306;Database=eatest;Uid=root;Pwd=umipl5RVFaWn0GgCuRSh;

[Examples of connection strings](#)

[Manual about EA Database](#)

BACK

TEST CONNECTION

RESET PERMISSIONS EA INFOPORT

SAVE

Revision #1

Created 10 July 2024 12:19:54 by Karolína Kavanová

Updated 10 July 2024 12:30:35 by Karolína Kavanová