Authorization if the user is a member of two groups with different permissions

Authorization if the user is a member of two groups with different permissions

Package default	Group A - Manager	Group B - basic	Result
Without settings*	Without settings*	Without settings*	Disabled
Enabled	Without settings*	Without settings*	Enabled
Disabled	Without settings*	Without settings*	Disabled
Enabled	Enabled	Enabled	Enabled
Disabled	Disabled	Disabled	Disabled
Enabled	Enabled	Disabled	Disabled
Disabled	Enabled	Disabled	Disabled

*only for new "root" in other cases the settings are inherited from a higher package

Correction if the user is a member of two groups with different permissions and also has individual settings

Package default	Group A - Manager	Group B - basic	Result	Individual settings	Result
Without settings*	Without settings*	Without settings*	Disabled	Enabled	Enabled
Enabled	Without settings*	Without settings*	Enabled	Disabled	Disabled
Disabled	Without settings*	Without settings*	Disabled	Enabled	Enabled
Enabled	Enabled	Enabled	Enabled	Disabled	Disabled
Disabled	Disabled	Disabled	Disabled	Enabled	Enabled

Enabled	Enabled	Disabled	Disabled	cannot be allowed**	Disabled
Disabled	Enabled	Disabled	Disabled	cannot be allowed**	Enabled

** the message successfully removed/added but settings are not saved, group settings cannot be overridden

---

Revision #1
Created 25 April 2025 12:13:31 by Karolína Kavanová
Updated 3 August 2026 12:36:39 by Karolína Kavanová