

Create a view


Create a view allows you to take a specific part of the tree and display it in a separate section. Thus, if, for example, a company's process model, organizational structure, architecture design, etc. is deeply embedded in the repository structure, this functionality allows you to make it available to readers without having to search for it in a complicated way. Thus, these are views of specific repository packages (trees) and their contents, including the embedded packages.

Repository Browser

- EA Infoport Demo
- Example Model
 - Call Behavior
 - ArchiMate
 - Classifiers
 - UML Modeling
 - Domain Specific Modeling
- Demo Bck

- Open in the new window
- Refresh package
- Add package
- Add element
- Add diagram
- Add internal file
- Edit
- Delete
- First
- Previous
- Next
- Last
- Clone
- Add view
- Export XML
- Import XML

Domain Based Models



Notes

Name

Domain Based Models

Author

Greg Nichols

Created

10/

ID

70

GUID

{41E0BBC9-8F61-4C

Discussion

More detailed control of di

Views

EDIT



BPMN 2.0 Examples



Procesní model společnosti



Procesy společnosti abc



Procesní model společnosti ABC



Procesní model firmy



Datový model společnosti



Popis architektury



Přehled architektury společnosti

Revision #2
Created 31 May 2022 09:11:50
Updated 9 January 2024 12:32:15 by Karolína Kavanová