
Creating a Section


Sections can only be created by a user who has been assigned the "*Owner*" role in the current or parent section.

The section can be configured whether read access is enabled by default - then users or groups that cannot read can be explicitly selected, or whether read access is disabled by default - then users and groups are explicitly enabled. Another configurable feature of the section is whether published diagrams are immediately displayed in the section or whether approval is required (*before publication*).

To create a section, the user clicks on the "*Add*" button.



The following dialog will be displayed to the user.




In the dialog, the parameters of the newly created section are entered and the rights are set.


- Section name
- Section description
- Section color

Rights

- ***Reading is allowed:***
  - When checked, users/groups can default to read the package and any child packages that do not have the default read disabled.
  - When checked with an "x", users/groups cannot default read a package and all its child packages that do not have default read enabled.
  - With an "empty square", the user/group inherits default privileges from the parent packages.
- ***Approval required***":
  - When checked, diagrams are added to the publication in the "*To be approved*" state. When unchecked, the status is "Approved.




To change the color, the user clicks on the color label, then a mini dialog pops up to set the color.



The colour selection dialog responds in two ways:

- Left-click and hold
- Left-click and hold the mouse button.

If everything is set, the user clicks on the "*Create*" button.



The section has been added.



Revision #2
Created 23 May 2022 09:33:39
Updated 8 February 2024 09:19:06 by Karolína Kavanová