

# Permissions - Access to publish public keys (permalinks)

There is a new option in Eainfoport to set "Access to publish public keys" for users.

After installing version 8.7.0, users who create permalinks must set the permissions otherwise they will lose this option.

Setting option:

- 1) Portal Management > Users management > Repositories > select the required permissions
- 2) Click on Repository Model > Repository Management > Users Management > Permissions

The screenshot displays the Eainfoport user management interface. The top navigation bar includes 'Portal Management' and 'admin@EainfoportT3.cz (admin)'. The main content area is titled 'User: List of repositories and permissions' for 'Test Testovic327 (ttestovic327)'. It features a table with columns for various permissions, including 'Access to publish public keys', which is highlighted with a red box. A green banner indicates 'Successfully removed'. Below the table, there are 'ADD' and 'REMOVE' buttons. The bottom section shows a 'Repository Browser' on the left with a tree view of repository categories. The main area displays a 'Testing' repository with a diagram and a table of metadata. The right sidebar contains a vertical menu with icons, one of which is highlighted with a red box.

Repository name	Repository notes	Repository administrator	Access to publication	Access to repository tree	Editor Glossary	Access to views	Access to publish public keys
Example		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Showing 1 to 1 of 1 entries

BACK

Show 10 entries

Setup of columns

Repository Browser

- Example Model
  - Alles
  - Getting Started
  - Getting Started - WebEA
  - Navigation
  - Element
  - EA 16 Examples
  - UML Modeling
  - Domain Specific Modeling
  - Navigate, Search and Trace
  - Diagram Features
  - User Interface Features
  - Enterprise Architecture
  - Analysis and Business Modeling
  - Project Management
  - Collaboration
  - Testing
  - Testing
  - Maintenance
  - Publishing
  - Reporting
  - Database Modeling
  - Schema Modeling
  - Geospatial Modeling
  - Systems Engineering
  - Visual Execution Analysis
  - Software Engineering
  - Model Transformation
  - Model Simulation
  - Model Based Add-Ins
  - Data Miner
  - Pro Cloud Server

Testing

Class Testing

Testing

There are a number of methods for setting up testing definitions and tracking test results in Enterprise Architect.

Two key formats that can be used for this are:

- Internal test definitions within an element.
- Attaching a custom element of type 'Test Case' to existing elements.

Examples of each format can be found using these links.

Element - Internal Tests

Test Case Element

Notes

Name	Type	Stereotype	MDGTechnology
Testing	Class		

Author: Paulene Dean

Created: 2/6/2011 12:00:00 AM

Modified: 7/15/2020 3:01:50 PM

Version: 1.0

GUID: (41AD09F1-44B6-4c2F-AA17-E23FAC006132)

ID: 91

Theme

Discussions

More detailed control of discussions (editing, deleting, ...) is performed using the context menu

Add a thread

Show closed threads

Learn more about access keys <https://doc.eainfoport.cz/books/user-manual/chapter/access-tokens>

---

Revision #1

Created 3 July 2024 09:40:00 by Karolína Kavanová

Updated 3 July 2024 09:59:26 by Karolína Kavanová